

Rensselaer

DARRIN FRESH WATER INSTITUTE

Sandra A. Nierzwicki-Bauer, Director

Charles W. Boylen
Associate Director of
Environmental
Assessment Programs

Report of Analysis LAB ID # 10719

Eagle Lake Bacterial Samples

Date Collected: Sept. 9, 2015

Date Analyzed: Sept 9, 2015

Collector: Rolf Tiedemann

Sample	Location	Time Collected	Time Analyzed	Total Coliform (#colonies/100 ml)	Fecal Coliform (#colonies/100 ml)
15-413	Mid lake @ CSLAP site	9:00	12:03	10	8
15-414	Entrance to TI Bay	9:00	12:05	20	24
15-415	S. Side Rt 74 causeway	9:00	12:16	40	1?
15-416	Between Fox Is. And Rt 74 W	9:00	12:20	200	142

Results submitted by: Laurie Ahrens

Total Coliform: Membrane Filter with LES Endo Agar, 9222 A,B,C (NELAC Certified)

Fecal Coliform: Membrane Filter with LES Endo Agar, 9222 D (NELAC Certified)

Fecal Streptococci - Membrane Filtration with KF Strep Agar, 9230 A,C (not NELAC certified)

?: refers to count with high non-target bacterial growth

lt = less than