

September 9, 2016

Rolf Tiedemann camptouchstone@yahoo.com

Sample # 16-490 to 492

### BILL FOR LABORATORY SERVICES

3	3 Total Coliform Bacterial Analysis @ \$15.00 ea.				
	E. coli Enumeration Analysis @ \$20.00 ea.	\$0.00			
3	Fecal Coliform Bacterial Analysis @ \$15.00 ea.				
	Standard Plate Count Bacterial Analysis @ \$15.00 ea.	\$0.00			
	E. coli (qualitative) Bacterial Analysis @ \$10.00 ea.	\$0.00			
	TOTAL LABORATORY FEES	\$90.00			
Please make check payable to: Darrin Fresh Water Institute Please reference <b>sample number(s)</b> <u>16-490 to 492</u> on check					

Please reference sample n	umber(s)	<u>16-490 to 492</u>	on chec
Mail Payment To:	shwater Institute		
	Attn: L. Al	nrens	
	5060 Lakes	shore Drive	
	Bolton Lar	nding, NY 12814	

Rensselaer Polytechnic Institute 5060 Lake Shore Drive | Bolton Landing, NY 12814 Phone (518) 644-3541 | Fax (518) 644-3640 | dfwi@rpi.edu | www.rpi.edu Total



# REPORT OF BACTERIOLOGICAL EXAMINATION

Date collected: September 7, 2016				Collector:	Rolf Tiedemann		
Da	ate analyzed:	September 7, 2016					
			Time	Time		Total Coliform	Fecal Coliform
_	Sample #		Collected	Analyzed	Analyst	(#colonies/100 ml)	(#colonies/100 ml)
-	16-490	Fox Island @ Rt 74	8:30 AM	3:25 PM	LE	3	less than 10
	16-491	South side of Rt 74/ Causeway	8:35 AM	3:35 PM	LE	3	2
	16-492	Mouth of Ti Bay	8:45 AM	3:40 PM	LE	1	1

Samples were received out of the 6 hour holding time and at room temperature (20 C)

#### Results submitted by: Laurie Ahrens

#### Sample results relate only to the sample received and to tests performed.

Procedures Used: Total Coliform: Membrane Filter with LES Endo Agar, 9222 A,B,C (NELAC certified) Fecal Coliform: Membrane Filter with LES Endo Agar, 9222 D (NELAC certified) TNTC: Too Numerous To Count ?: refers to ount with high background bacteria MAT: refers to high background colonies (nontarget bacteria) It = less than

## 5060 Lake Shore Drive | Bolton Landing, NY 12814 Phone (518) 644-3541 | Fax (518) 644-3640 | dfwi@rpi.edu | www.rpi.edu

Page 1 of 1

Rev.1.3