

Material Safety Data Sheet



Transportation and Medical Emergency Phone: **1-800-535-5053 (INFOTRAC)**
General Phone: 317-580-8282

EPA Reg. No.: 62719-37-67690
Revision Date: 01/10/2008

Renovate® 3 Herbicide

SePRO Corporation Carmel, IN 46032-4565

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT: Renovate 3 Herbicide

COMPANY IDENTIFICATION:

SePRO Corporation
11550 North Meridian Street, Suite 600
Carmel, IN 46032-4565
www.sepro.com

Information Phone: 317-580-8282 (Monday - Friday, 8:00 am to 5:00 pm EST)

2. HAZARDOUS IDENTIFICATIONS

EMERGENCY OVERVIEW

Light purple-pink liquid, ammonia-like odor.

- May cause eye irritation with corneal injury.
- May cause skin irritation.
- Toxic to aquatic organisms.

EMERGENCY PHONE NUMBER: 1-800-535-5053

3. COMPOSITION / INFORMATION ON INGREDIENTS

COMPONENT	CAS NUMBER	W/W%
Triclopyr TEA Salt	057213-69-1	44.4
Triethylamine	000121-44-8	3.0
Ethanol	000064-17-5	2.1
Other Ingredients, Totaling		50.5

4. FIRST AID MEASURES

EYES: Wash immediately and continuously with flowing water for at least 30 minutes. Remove contact lenses after the first 5 minutes and continue washing. Obtain prompt medical consultation, preferably from an ophthalmologist.

SKIN: Wash skin with plenty of water.

INGESTION: Do not induce vomiting. Give one cup (8 ounces or 240 ml) of water or milk if available and transport to a medical facility. Do not give anything by mouth to an unconscious person.

INHALATION: No emergency medical treatment necessary.

NOTE TO PHYSICIAN: Due to irritant properties, swallowing may result in burns/ulceration of mouth, stomach and lower GI tract with subsequent stricture. Aspiration of vomitus may cause lung injury. Suggest endotracheal/esophageal control if lavage is done. If burn is present treat as any thermal burn, after decontamination.

Exposure to amine vapors may cause minor transient edema of the corneal epithelium (glauropsia) with blurred vision, blue haze, and halos around bright objects. Effects disappear in a few hours and temporarily reduce ability to drive vehicles. No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.

5. FIRE FIGHTING MEASURES

FLASH POINT & METHOD USED: 110°F (43°C); TCC

FLAMMABLE LIMITS: Not determined

EXTINGUISHING MEDIA: Alcohol foam and Carbon dioxide.

FIRE AND EXPLOSION HAZARDS: Toxic, irritating vapors may be formed or given off if product is involved in fire. Although product is water-based, it has a flash point due to the presence of small amounts of ethanol and triethylamine.

FIREFIGHTING EQUIPMENT/INSTRUCTIONS: Use positive-pressure, self-contained breathing apparatus and full protective clothing.

6. ACCIDENTAL RELEASE MEASURES

ACTION TO TAKE FOR SPILLS/LEAKS: Contain small spills and absorb with an inert material such as clay or dry sand. Report large spills to **INFOTRAC** at **1-800-535-5053** and contact SePRO Corporation.

7. HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:

Handling:

Keep out of reach of children. Causes irreversible eye damage. Harmful if inhaled or absorbed through skin. Prolonged or frequently repeated skin contact may cause allergic skin reaction in some individuals. Avoid contact with eyes, skin, clothing, breathing vapor, or spray mist. Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.

Storage:

Store above 28°F or agitate before use. Store in original container. See product label for handling/storage precautions relative to the end use of this product.

Material Safety Data Sheet



Transportation and Medical Emergency Phone: **1-800-535-5053 (INFOTRAC)**
General Phone: 317-580-8282

EPA Reg. No.: 62719-37-67690
Revision Date: 01/10/2008

Renovate® 3 Herbicide

SePRO Corporation Carmel, IN 46032-4565

8. EXPOSURE CONTROL / PERSONAL PROTECTION

These precautions are suggested for conditions where the potential for exposure exists. Emergency conditions may require additional precautions.

EXPOSURE GUIDELINE(S):

- Ethanol (ethyl alcohol): ACGIH TLV and OSHA PEL are 1000 ppm. ACGIH classification is A4.
- Triclopyr TEA Salt: The manufacturer's Hygiene Guideline is 2 mg/M³ as acid equivalent; D-SEN.
- Triethylamine: ACGIH TLV is 1 ppm TWA, 3 ppm STEL, Skin. OSHA PEL is 10 ppm TWA, 15 ppm STEL.

A D-SEN notation following the exposure guideline refers to the potential to produce dermal sensitization, as confirmed by human or animal data.

ENGINEERING CONTROLS: Provide general and/or local exhaust ventilation to control airborne levels below the exposure guidelines.

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING AND PACKAGING WORKERS:

EYE PROTECTION: Use chemical goggles. Eye wash fountain should be located in immediate work area. If exposure causes eye discomfort, use a full-face respirator.

SKIN PROTECTION: When prolonged or frequently repeated contact could occur, use chemically protective clothing resistant to this material. Selection of specific items such as faceshield, gloves, boots, and apron or full-body suit will depend on operation.

RESPIRATORY PROTECTION: Atmospheric levels should be maintained below the exposure guideline. When respiratory protection is required for certain operations, use a NIOSH approved air-purifying respirator.

APPLICATORS AND ALL OTHER HANDLERS: Refer to the product label for personal protective clothing and equipment.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Light purple-pink liquid

ODOR: Ammonia-like odor

BOILING POINT: Not determined

VAPOR PRESSURE: Not determined

VAPOR DENSITY: Not applicable

SOLUBILITY IN WATER: Miscible

SPECIFIC GRAVITY: 1.135 (68/68°F)

10. STABILITY AND REACTIVITY

STABILITY (Conditions to avoid): Avoid sources of ignition if temperature is near or above flash point.

INCOMPATIBILITY (Specific materials to avoid): Any oxidizing agent. Consult manufacturer for specific cases.

HAZARDOUS DECOMPOSITION PRODUCTS: Nitrogen oxides and hydrogen chloride may be formed under fire conditions.

HAZARDOUS POLYMERIZATION: Not known to occur.

11. TOXICOLOGICAL INFORMATION

POTENTIAL HEALTH EFFECTS

This section includes possible adverse effects, which could occur if this material is not handled in the recommended manner.

EYE: May cause severe irritation with corneal injury, which may result in permanent impairment of vision, even blindness. Chemical burns may occur. Vapor of amines may cause swelling of the cornea resulting in visual disturbances such as blurred or hazy vision. Bright lights may appear to be surrounded by halos. Effects may be delayed and typically disappear spontaneously.

SKIN : Prolonged contact may cause skin irritation with local redness. Repeated contact may cause skin burns. Symptoms may include pain, severe local redness, swelling, and tissue damage. Prolonged or frequently repeated skin contact may cause allergic skin reactions in some individuals. With the dilute mix, no allergic skin reaction is expected. Prolonged skin contact is unlikely to result in absorption of harmful amounts. The LD₅₀ for skin absorption in rabbits is >5,000 mg/kg.

INGESTION: Low toxicity if swallowed. Small amounts swallowed incidentally as a result of normal handling operations are not likely to cause injury; however, swallowing larger amounts may cause injury. Swallowing may result in gastrointestinal irritation or ulceration. The oral LD₅₀ for rats is 2,574 mg/kg (male) and 1,847 mg/kg (female).

Material Safety Data Sheet



Transportation and Medical Emergency Phone: **1-800-535-5053 (INFOTRAC)**
General Phone: 317-580-8282

EPA Reg. No.: 62719-37-67690
Revision Date: 01/10/2008

Renovate[®] 3 Herbicide

SePRO Corporation Carmel, IN 46032-4565

INHALATION: Brief exposure (minutes) is not likely to cause adverse effects.

SYSTEMIC (OTHER TARGET ORGAN) EFFECTS: Effects have been reported on the following organs: liver and kidney.

CANCER INFORMATION: Triclopyr did not cause cancer in laboratory animal studies.

TERATOGENICITY (BIRTH DEFECTS): Triclopyr did not cause birth defects or other effects in the fetus even at doses which caused toxic effects in the mother. Ethanol has been shown to cause birth defects and toxicity to the fetus in laboratory animal tests. It has also been shown to cause human fetotoxicity and/or birth defects when ingested during pregnancy.

REPRODUCTIVE EFFECTS: For triclopyr, in laboratory animal studies, effects on reproduction have been seen only at doses that produced significant toxicity to the parent animals.

MUTAGENICITY: For triclopyr and ethanol: in-vitro mutagenicity studies were negative. For triclopyr: animal mutagenicity studies were negative. For ethanol: animal mutagenicity studies were negative in some cases and positive in other cases.

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL FATE:

MOVEMENT & PARTITIONING: Based largely or completely on information for triclopyr. Bioconcentration potential is low (BCF <100 or Log Pow <3).

DEGRADATION & PERSISTENCE:

- Biodegradation under aerobic static laboratory conditions is high (BOD₂₀ or BOD₂₈/ThOD >40%).
- The 20-Day biochemical oxygen demand (BOD₂₀) is 0.30 p/p.
- Theoretical oxygen demand (ThOD) is calculated to be 0.75 p/p.

ECOTOXICOLOGY: Material is slightly toxic to aquatic organisms on an acute basis (LC₅₀/EC₅₀ is between 10 and 100 mg/L in most sensitive species).

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities.

This information only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. If the material as supplied becomes a waste, follow all applicable regional, national and local laws and regulations.

14. TRANSPORT INFORMATION

U.S. DEPARTMENT OF TRANSPORTATION (DOT) INFORMATION:

For non-bulk shipments by land:

This material is not regulated for transport.

For bulk shipments by land:

Proper Shipping Name: COMBUSTIBLE LIQUID, N.O.S (TRIETHYLAMINE, ETHANOL) / COMBUSTIBLE LIQUID/NA1993/PGIII

For shipment by air or vessel:

Proper Shipping Name: FLAMMABLE LIQUIDS, N.O.S (TRIETHYLAMINE, ETHANOL)/3/UN1993/PGIII

Class	3
UN Number	UN 1993
Packing Group	III

For additional shipping information contact SePRO Corporation at 317-580-8282 and speak with the Logistics Manager.

Material Safety Data Sheet



Transportation and Medical Emergency Phone: 1-800-535-5053 (INFOTRAC)
General Phone: 317-580-8282

EPA Reg. No.: 62719-37-67690
Revision Date: 01/10/2008

Renovate® 3 Herbicide

SePRO Corporation Carmel, IN 46032-4565

15. REGULATORY INFORMATION

NOTICE: The information herein is presented in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ from one location to another; it is the buyer's responsibility to ensure that its activities comply with federal, state or provincial, and local laws. The following specific information is made for the purpose of complying with numerous federal, state or provincial, and local laws and regulations.

U.S. REGULATIONS

SARA 313 INFORMATION: This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372:

Chemical Name	CAS Number	Concentration
Triethylamine	000121-44-8	3%

SARA HAZARD CATEGORY: This product has been reviewed according to the EPA "Hazard Categories" promulgated under Sections 311 and 312 of the Superfund Amendment and Reauthorization Act of 1986 (SARA Title III) and is considered, under applicable definitions, to meet the following categories:

- An Immediate Health Hazard
- A Delayed Health Hazard
- A Fire Hazard

TOXIC SUBSTANCES CONTROL ACT (TSCA): All ingredients are on the TSCA inventory or are not required to be listed on the TSCA inventory.

STATE RIGHT-TO-KNOW: The following product components are cited on certain state lists as mentioned. Non-listed components may be shown in the composition section of the MSDS.

Chemical Name	CAS Number	List
Ethanol	000064-17-5	NJ1 NJ3 PA1
Triethylamine	000121-44-8	NJ1 NJ3 PA1 PA3

NJ1=New Jersey Special Health Hazard Substance
(present at > or = to 0.1%).

NJ3=New Jersey Workplace Hazardous Substance
(present at greater than or equal to 1.0%).

PA1=Pennsylvania Hazardous Substance
(present at > or = to 1.0%).

PA3=Pennsylvania Environmental Hazardous Substance
(present at > or = to 1.0%).

OSHA HAZARD COMMUNICATION STANDARD: This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

NATIONAL FIRE PROTECTION ASSOCIATION (NFPA RATINGS):

Category	Rating
Health	3
Flammability	2
Reactivity	0

COMPREHENSIVE ENVIRONMENTAL RESPONSE COMPENSATION AND LIABILITY ACT

(CERCLA, OR SUPERFUND): This product contains the following substance(s) listed as "Hazardous Substances" under CERCLA which may require reporting of releases:

Chemical Name	CAS Number	RQ	% in Product
Triethylamine	000121-44-8	5000	3%

RCRA Categorization Hazardous Code: Triethylamine = U404

16. OTHER INFORMATION, USES AND RESTRICTIONS

MSDS STATUS:

Creation Date: 01/22/2003

Revision Date: 01/10/2008 (Sections: 8, 14)

Replaces MSDS Dated: 11/21/2006

The Information Herein Is Given In Good Faith, But No Warranty, Express or Implied, Is Made. Consult SePRO Corporation for Further Information.