



## Oil Spill Equipment

[Skimmers](#) • [Booms](#) • [Fire Boom](#)

[Home](#)

**AmericanMarine**<sup>LLC</sup>

[Dispersant Equipment](#) • [Portable Tanks](#) • [Vacuum Systems](#) • [Boats](#) • [Pumps](#)

*Hablamos Español para su conveniencia. 321-636-5783*

# Boom Accessories

[Containment Boom](#)

[Speciality Booms](#)

[Boom Reels](#)

[Boom Storage Containers and Trailers](#)

[Boom Accessories](#)

## Navigation Warning Lights

Two sizes of Warning Lights used to caution marine traffic of containment boom location. Consult Elastec/American Marine sales professionals for advice on the number and model of Navigation warning buoys best suited to your application.

### Boom Light Buoy

Overall height 31"


16" visible exposure

Hi-Seas beacon light mounted on the top of the mast. Activated by a Photocell which causes the light to flash in the dark. Amber and clear Lenses available.

Powered by two "D" cell batteries

Equipped with a cable lanyard to attach the buoy to the boom or curtain

**Note:** Warning lights are normally placed at 100' interval to alert boat traffic to the presence of floating boom or curtain.



### Lighted boom buoys and warning lights.

Overall height 62" plus dome

36" Plus visible exposure (day mark)

Retro reflective markings for exceptional nighttime navigation safety.

Weight required to totally submerge: 90lbs.

Shipping weight: 58lbs.

9 1/4" diameter 29" circumference

These can be made with or without the light in the top. We put in a photo-cell battery operated light when called for.



- [Custom](#)
- [Request](#)
- [Ab](#)
- [New](#)
- [Site](#)
- [Li](#)
- [F](#)
- [Dealer](#)
- [ISO C](#)
- [Emerg](#)

**Elastec/American Marine:** 1309 West Main, Carmi, IL 62821 USA  
Call us at (618) 382-2525 Fax (618) 382-3610 E-mail [elastec@elastec.com](mailto:elastec@elastec.com)  
Updated May 2004. Copyright Elastec/AmericanMarine. All rights reserved.